AUTHOR INDEX

Abbott, J. K.
Comparison of Animal Responses to the Combustion Products Generated by Two Test Procedures, the USF/NASA Methodology and the FAA/CAMI System, p. 325

Adams, S.
Analysis of Combustion Gases During Testing with the NBS Smoke Chamber, p. 360

Alarie, Y.
A Semi-Quantitative Method for Assessing Anatomic Damage Sustained by the Upper Respiratory Tract of the Laboratory Mouse, Mus Musculis, p. 472

Andersen, M. E.
The Use of Mean Survival Time Analysis to Determine Comparative Toxicity of Fire Atmospheres, p. 87

Ball, Gwendolyn L.
The Performance of Rats on a Rotarod During Exposure to Combustion Products of Rigid Polyurethane Foams and Wood, p. 506

Barrow, C. S.
A Semi-Quantitative Method for Assessing Anatomic Damage Sustained by the Upper Respiratory Tract of the Laboratory Mouse, Mus Musculis, p. 472

Boettner, E. A.
The Performance of Rats on a Rotarod During Exposure to Combustion Products of Rigid Polyurethane Foams and Wood, p. 506

Carhart, H. W.
Biological Effect of Fire Suppression by Nitrogen Pressurization in Enclosed Environments, p. 314

Casey, C. J.
Effect of Ammonia on Swiss Albino Mice, p. 385

Crane, C. R.
Comparison of Results with the USF/NASA and FAA/CAMI Toxicity Screening Test Methods, p. 56

Comparison of Animal Responses to the Combustion Products Generated by Two Test Procedures, the USF/NASA Methodology and the FAA/CAMI System, p. 325

Cukor, P.
Smoke Toxicity of Fire-Retardant Television Cabinets, p. 435

Cumming, H. J.
Systems for Animal Exposure in Full-Scale Fire Tests, p. 101

A Comparison of Relative Toxicity Rankings by Some Small Scale Laboratory Tests, p. 173

Studies with the USF/NASA Toxicity Screening Test Method: Exercise Wheels and Oxygen Replenishment, p. 200

The Possibility of Flash Fires in Toxicity Tests, p. 206

Effect of Carbon Monoxide on Swiss Albino Mice, p. 216

The Use of a Behavioral Response System in the USF/NASA Toxicity

Screening Test Method, p. 283

Relative Toxicity of Pyrolysis Products of Some Building Materials, p. 304

Comparison of Animal Responses to the Combustion Products Generated by Two Test Procedures, the USF/NASA Methodology and the FAA/CAMI System, p. 325

Bisphenol A Polycarbonate as a Reference Material, p. 367

Studies with the USF/NASA Toxicity Screening Test Method: Carbon Monoxide and Carbon Dioxide Concentrations, p. 376

Variation in Animal Response to Different Toxicants, p. 389

Relative Toxicity of Pyrolysis Products from Upholstery Fabrics: Effects of Fabric Variables and Test Conditions, p. 393

A Review of Available LC_{50} Data, p. 415

Standard Wool Fabric as a Reference Material, p. 454

Polychloroprene Flexible Foam as a Reference Material, p. 464

Effect of Test Conditions on Relative Toxicity Rankings of Fifteen Materials, p. 487

Effect of Mouse Strain on Relative Toxicity of Pyrolysis Gases, p. 499

Effect of Carbon Monoxide and Nitrogen Dioxide on ICR Mice, p. 523

Studies with the USF/NASA Toxicity Screening Test Method: Oxygen Concentrations with Various Test Conditions, p. 556

Dressler, D. P.

Biological Effect of Fire Suppression by Nitrogen Pressurization in Enclosed Environments, p. 314

Smoke Toxicity of Fire-Retardant Television Cabinets, p. 435

Dugger, D. L.

Smoke Toxicity of Fire-Retardant Television Cabinets, p. 435

Endecott, B. R.

Comparison of Animal Responses to the Combustion Products Generated by Two Test Procedures, the USF/NASA Methodology and the FAA/CAMI System, p. 325

Fewell, L. L.

Relative Toxicity of Pyrolysis Products of Some Aircraft Seat Materials, p. 16

Furst, A.

Relative Toxicity of Pyrolysis Products of Some Aircraft Seat Materials, p. 16

Effect of Ammonia on Swiss Albino Mice, p. 385

Gall, L. A.

Relative Toxicity of Pyrolysis Products of Some Wood Samples, p. 193

Relative Toxicity of Pyrolysis Products of Some Building Materials, p. 304

Gann, R. G.

Biological Effect of Fire Suppres-

sion by Nitrogen Pressurization in Enclosed Environments, p. 314

Hartung, R.
The Performance of Rats on a Rotarod During Exposure to Combustion Products of Rigid Polyurethane Foams and Wood, p. 506

Hilado, C. J.
Relative Toxicity of Pyrolysis Products of Some Aircraft Seat Materials, p. 16

Relative Toxicity of Pyrolysis Products of Some Polyurethane and Polychloroprene Foams, p. 21

Comparison of Results with the USF/NASA and FAA/CAMI Toxicity Screening Test Methods, p. 56

Relative Toxicity of Pyrolysis Products of Some Elastomers, p. 61

Toxicity Studies of a Polyurethane Rigid Foam, p. 79

Systems for Animal Exposure in Full-Scale Fire Tests, p. 101

Some Possible Reference Materials for Fire Toxicity Tests, p. 163

A Comparison of Relative Toxicity Rankings by Some Small Scale Laboratory Tests, p. 173

Relative Toxicity of Pyrolysis Products of Some Wood Samples, p. 193

Studies with the USF/NASA Toxicity Screening Test Method: Exercise Wheels and Oxygen Replenishment, p. 200

The Possibility of Flash Fires in Toxicity Tests, p. 206

Effects of Carbon Monoxide on Swiss Albino Mice, p. 216

Effect of Sulfur Dioxide on Swiss Albino Mice, p. 236

Effect of Nitrogen Dioxide on Swiss Albino Mice, p. 246

The Use of a Behavioral Response System in the USF/NASA Toxicity Screening Test Method, p. 283

Relative Toxicity of Pyrolysis Products of Some Building Materials, p. 304

Comparison of Animal Responses to the Combustion Products Generated by Two Test Procedures, the USF/NASA Methodology and the FAA/CAMI System, p. 325

Bisphenol A Polycarbonate as a Reference Material, p. 367

Studies with the USF/NASA Toxicity Screening Test Method: Carbon Monoxide and Carbon Dioxide Concentrations, p. 376

Effect of Ammonia on Swiss Albino Mice, p. 385

Variation in Animal Response to Different Toxicants, p. 389

Relative Toxicity of Pyrolysis Products from Upholstery Fabrics: Effects of Fabric Variables and Test Conditions, p. 393

A Review of Available LC_{50} Data, p. 415

Standard Wool Fabric as a Reference Material, p. 454

Polychloroprene Flexible Foam as a Reference Material, p. 464

Effect of Test Conditions on Relative Toxicity Rankings of Fifteen Materials, p. 487

Effect of Mouse Strain on Relative Toxicity of Pyrolysis Gases, p. 499

Effect of Carbon Monoxide and Nitrogen Dioxide on ICR Mice, p. 523

Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Synthetic Polymers, p. 533

Studies with the USF/NASA Toxicity Screening Test Method: Oxygen Concentrations with Various Test Conditions, p. 556

Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Elastomers, p. 563

Hollingsworth, Z. R.
The Performance of Rats on a Rotarod During Exposure to Combustion Products of Rigid Polyurethane Foams and Wood, p. 506

Hsu, M. S.
Analytical Methods for Toxic Gases from Thermal Degradation of Polymers, p. 293

Jenkins, L. J., Jr.
The Use of Mean Survival Time Analysis to Determine Comparative Toxicity of Fire Atmospheres, p. 87

Jones, R. A.
The Use of Mean Survival Time Analysis to Determine Comparative Toxicity of Fire Atmospheres, p. 87

Kosola, K. L.
Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Synthetic Polymers, p. 533

Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Elastomers, p. 563

Kourtides, D. A.
Relative Toxicity of Pyrolysis Products of Some Aircraft Seat Materials, p. 16

Relative Toxicity of Pyrolysis Products of Some Polyurethane and Polychloroprene Foams, p. 21

Systems for Animal Exposure in Full-Scale Fire Tests, p. 101

Lederer, T. S.
A Method for Comparative Testing of Smoke Toxicity, p. 114

Lerner, N. R.
Thermochemical Characterization of Polymers for Improved Fire Safety, p. 181

Lopez, M. T.
Relative Toxicity of Pyrolysis Products of Some Elastomers, p. 61

Lucia, H.
A Semi-Quantitative Method for Assessing Anatomic Damage Sustained by the Upper Respiratory Tract of the Laboratory Mouse, Mus Musculis, p. 472

Machado, A. M.
Effect of Sulfur Dioxide on Swiss Albino Mice, p. 236

Effect of Nitrogen Dioxide on Swiss Albino Mice, p. 246

Comparison of Animal Responses to the Combustion Products Generated by Two Test Procedures, the USF/NASA Methodology and the FAA/CAMI System, p. 325

Marcussen, W. H.
Relative Toxicity of Pyrolysis Products of Some Aircraft Seat Materials, p. 16

Morford, R. H.
Polychloroprene Flexible Foam as a Reference Material, p. 464

Packham, S. C.
The Use of a Behavioral Response System in the USF/NASA Toxicity Screening Test Method, p. 283

Parker, J. A.
Relative Toxicity of Pyrolysis Products of Some Aircraft Seat Materials, p. 16

Relative Toxicity of Pyrolysis Products of Some Polyurethane and Polychloroprene Foams, p. 21

Systems for Animal Exposure in Full-Scale Fire Tests, p. 101

Peabody, H. D.
Pulmonary Function and the Fire Fighters, p. 8

Potts, W. J.
A Method for Comparative Testing of Smoke Toxicity, p. 114

Robinson, R. S.
Biological Effect of Fire Suppression by Nitrogen Pressurization in Enclosed Environments, p. 314

Smoke Toxicity of Fire-Resistant Television Cabinets, p. 435

Rosenbaum, R.
The Performance of Rats on a Rotarod During Exposure to Combustion Products of Rigid Polyurethane Foams and Wood, p. 506

Saito, F.
Evaluation of the Toxicity of Combustion Products, p. 32

Sanders, D. C.
Comparison of Animal Responses to the Combustion Products Generated by Two Test Procedures, the USF/NASA Methodology and the FAA/CAMI System, p. 325

Schneider, J. E.
Toxicity Studies of a Polyurethane Rigid Foam, p. 79

Comparison of Animal Responses to the Combustion Products Generated by Two Test Procedures, the USF/NASA Methodology and the FAA/CAMI System, p. 325

Slattengren, C. L.
Relative Toxicity of Pyrolysis Products of Some Polyurethane and Polychloroprene Foams, p. 21

Solis, A. N.
Some Possible Reference Materials for Fire Toxicity Tests, p. 163

Studies with the USF/NASA Toxicity Screening Test Method: Oxygen Concentrations with Various Test Conditions, p. 556

Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Elastomers, p. 563

Soriano, J. A.
Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Synthetic Polymers, p. 533

Stock, M. F.
A Semi-Quantitative Method for Assessing Anatomic Damage Sustained by the Upper Respiratory Tract of the Laboratory Mouse, Mus Musculis, p. 472

Stone, J. P.
Transport of Hydrogen Cyanide by Water Aerosol in a Simulated Fire Atmosphere, p. 231

Biological Effect of Fire Suppression by Nitrogen Pressurization in Enclosed Environments, p. 314

Tsuchiya, Y.
New Japanese Standard Test for Combustion Gas Toxicity, p. 5

Significance of HCN Generation in Fire Gas Toxicity, p. 271

Williams, F. W.
Transport of Hydrogen Cyanide by Water Aerosol in a Simulated Fire Atmosphere, p. 231

Biological Effect of Fire Suppression by Nitrogen Pressurization in Enclosed Environments, p. 314

Williams, J. B.
Bisphenol A Polycarbonate as a Reference Material, p. 367

Yamamoto, K.
Acute Combined Effects of HCN and CO, with Special Reference to a Theoretical Consideration of Acute Combined Effects on the Basis of the Blood Cyanide and COHb Analyses, p. 69

SUBJECT INDEX

ABS, Combustion/Toxicity
Comparison of Animal Responses to the Combustion Products Generated by Two Test Procedures, the USF/NASA Methodology and the FAA/CAMI System, p. 325

ABS, Toxicity of Gases
Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Synthetic Polymers, p. 533

Acute Toxicity
The Use of Mean Survival Time Analysis to Determine Comparative Toxicity of Fire Atmospheres, p. 87

Aircraft Seats, Toxicity of Pyrolysis Products
Relative Toxicity of Pyrolysis Products of Some Aircraft Seat Materials, p. 16

Ammonia, Effect on Mice
Effect of Ammonia on Swiss Albino Mice, p. 385

Analysis
Analytical Methods for Toxic Gases from Thermal Degradation of Polymers, p. 293

Animal Experiments
The Use of Mean Survival Time Analysis to Determine Comparative

Toxicity of Fire Atmospheres, p. 87

Animal Exposure
New Japanese Standard Test for Combustion Gas Toxicity, p. 5

Systems for Animal Exposure in Full-Scale Fire Tests, p. 101

Animal Responses, Combustion Products
Comparison of Animal Responses to the Combustion Products Generated by Two Test Procedures, the USF/NASA Methodology and the FAA/CAMI System, p. 325

Animal Responses, Toxicants
Variation in Animal Response to Different Toxicants, p. 389

Aromatic Polyamide
Thermochemical Characterization of Polymers for Improved Fire Safety, p. 181

Biological Effect
Biological Effect of Fire Suppression by Nitrogen Pressurization in Enclosed Environments, p. 314

Bisphenol A Polycarbonate
Bisphenol A Polycarbonate as a Reference Material, p. 367

Building Materials, Pyrolysis Products
Relative Toxicity of Pyrolysis Products of Some Building Materials, p. 304

Carbon Monoxide
Acute Combined Effects of HCN and CO, with Special Reference to a Theoretical Consideration of Acute Combined Effects on the Basis of the Blood Cyanide and COHb Analyses, p. 69

The Use of Mean Survival Time Analysis to Determine Comparative Toxicity of Fire Atmospheres, p. 87

Carbon Monoxide, Effect on Mice
Effect of Carbon Monoxide on Swiss Albino Mice, p. 216

Effect of Carbon Monoxide and Nitrogen Dioxide on ICR Mice, p. 523

Cigarette Smoking
Pulmonary Function and the Fire Fighters, p. 8

COHb Level
Acute Combined Effects of HCN and CO, with Special Reference to a Theoretical Consideration of Acute Combined Effects on the Basis of the Blood Cyanide and COHb Analyses, p. 69

Combined Effects of HCN and CO
Acute Combined Effects of HCN and CO, with Special Reference to a Theoretical Consideration of Acute Combined Effects on the Basis of the Blood Cyanide and COHb Analyses, p. 69

Combustion Gas Analysis
Analysis of Combustion Gases During Testing with the NBS Smoke Chamber, p. 360

Combustion Products
Acute Combined Effects of HCN and CO, with Special Reference to a Theoretical Consideration of Acute Combined Effects on the

Basis of the Blood Cyanide and COHb Analyses, p. 69

Significance of HCN Generation in Fire Gas Toxicity, p. 271

Combustion Products, Evaluation of Toxicity
Evaluation of the Toxicity of Combustion Products, p. 33

Combustion Toxicity
A Method for Comparative Testing of Smoke Toxicity, p. 114

Dog Hair
Thermochemical Characterization of Polymers for Improved Fire Safety, p. 181

Douglas Fir
The Performance of Rats on a Rotarod During Exposure to Combustion Products of Rigid Polyurethane Foams and Wood, p. 506

Douglas Fir, Toxicity on Mice
A Semi-Quantitative Method for Assessing Anatomic Damage Sustained by the Upper Respiratory Tract of the Laboratory Mouse, Mus Musculis, p. 472

Elastomers, Pyrolysis Products
Relative Toxicity of Pyrolysis Products of Some Elastomers, p. 61

Elastomers, Toxicity of Gases
Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Elastomers, p. 563

Equilibrium
Significance of HCN Generation in Fire Gas Toxicity, p. 271

Fiber Glass Reinforced Polyester, Toxicity on Mice
A Semi-Quantitative Method for Assessing Anatomic Damage Sustained by the Upper Respiratory Tract of the Laboratory Mouse, Mus Musculis, p. 472

Fire
Significance of HCN Generation in Fire Gas Toxicity, p. 271

Fire Fighter Exposure
Pulmonary Function and the Fire Fighters, p. 8

Fire Suppression
Biological Effect of Fire Suppression by Nitrogen Pressurization in Enclosed Environments, p. 314

Fire Toxicity Tests, Reference Materials
Some Possible Reference Materials for Fire Toxicity Tests, p. 163

Flash Fire in Toxicity Tests
The Possibility of Flash Fires in Toxicity Tests, p. 206

Gas Chromatography
Analytical Methods for Toxic Gases from Thermal Degradation of Polymers, p. 293

Gas Detector Tube
Analytical Methods for Toxic Gases from Thermal Degradation of Polymers, p. 293

Hydrogen Cyanide
Acute Combined Effects of HCN and CO, with Special Reference to a Theoretical Consideration of Acute Combined Effects on the

Basis of the Blood Cyanide and COHb Analyses, p. 69

Transport of Hydrogen Cyanide by Water Aerosol in a Simulated Fire Atmosphere, p. 231

Significance of HCN Generation in Fire Gas Toxicity, p. 271

Incapacitation Time
New Japanese Standard Test for Combustion Gas Toxicity, p. 5

The Performance of Rats on a Rotarod During Exposure to Combustion Products of Rigid Polyurethane Foams and Wood, p. 506

Infrared
Analytical Methods for Toxic Gases from Thermal Degradation of Polymers, p. 293

Inhalation Exposure
Pulmonary Function and the Fire Fighters, p. 8

Japanese Test
New Japanese Standard Test for Combustion Gas Toxicity, p. 5

Laboratory Tests for Toxicity Ranking
A Comparison of Relative Toxicity Rankings by Some Small-Scale Laboratory Tests, p. 173

Lung Function
Pulmonary Function and the Fire Fighters, p. 8

Mean Survival Time
The Use of Mean Survival Time Analysis to Determine Comparative Toxicity of Fire Atmospheres, p. 87

Methacrylate, Toxicity of Gases
Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Synthetic Polymers, p. 533

Mice
New Japanese Standard Test for Combustion Gas Toxicity, p. 5

Mouse Strain, Effect on Toxicity
Effect of Mouse Strain on Relative Toxicity of Pyrolysis Gases, p. 499

NBS Smoke Chamber
Analysis of Combustion Gases During Testing with the NBS Smoke Chamber, p. 360

Nitrogen Dioxide, Effect on Mice
Effect of Nitrogen Dioxide on Swiss Albino Mice, p. 246

Effect of Carbon Monoxide and Nitrogen Dioxide on ICR Mice, p. 523

Nitrogen Pressurization
Biological Effect of Fire Suppression by Nitrogen Pressurization in Enclosed Environments, p. 314

Occupational Disease
Pulmonary Function and the Fire Fighters, p. 8

Performance Testing
The Performance of Rats on a Rotarod During Exposure to Combustion Products of Rigid Polyurethane Foams and Wood, p. 506

Polyacrylonitrile, Gauze
Acute Combined Effects of HCN and CO, with Special Reference to a Theoretical Consideration of Acute Combined Effects on the

Basis of the Blood Cyanide and COHb Analyses, p. 69

Polyaryl Sulfone, Toxicity of Gases
Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Synthetic Polymers, p. 533

Polybenzimidazole
Thermochemical Characterization of Polymers for Improved Fire Safety, p. 181

Polycarbonate, Combustion/Toxicity
Comparison of Animal Responses to the Combustion Products Generated by Two Test Procedures, the USF/NASA Methodology and the FAA/CAMI System, p. 325

Polycarbonate, Toxicity of Gases
Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Synthetic Polymers, p. 533

Polychloroprene Foam, Reference Material
Polychloroprene Flexible Foam as a Reference Material, p. 464

Polychloroprene Foams, Pyrolysis
Relative Toxicity of Pyrolysis Products of Some Polyurethane and Polychloroprene Foams, p. 21

Polyethylene, Combustion/Toxicity
Comparison of Animal Responses to the Combustion Products Generated by Two Test Procedures, the USF/NASA Methodology and the FAA/CAMI System, p. 325

Polyethylene, Toxicity of Gases
Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Synthetic Polymers, p. 533

Polymers
Thermochemical Characterization of Polymers for Improved Fire Safety, p. 181

Polymers, Toxicity
Thermochemical Characterization of Polymers for Improved Fire Safety, p. 181

Polymethyl, Toxicity of Gases
Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Synthetic Polymers, p. 533

Polyphenylene Sulfide
Thermochemical Characterization of Polymers for Improved Fire Safety, p. 181

Polyphenylene Sulfide, Toxicity of Gases
Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Synthetic Polymers, p. 533

Polystyrene, Combustion/Toxicity
Comparison of Animal Responses to the Combustion Products Generated by Two Test Procedures, the USF/NASA Methodology and the FAA/CAMI System, p. 325

Polystyrene, Toxicity of Gases
Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Synthetic Polymers, p. 533

Polytetrafluoroethylene, Toxicity on Mice
A Semi-Quantitative Method for Assessing Anatomic Damage Sustained by the Upper Respiratory Tract of the Laboratory Mouse, Mus Musculis, p. 472

Polyurethane, Rigid Foams
The Performance of Rats on a Rotarod During Exposure to Combustion Products of Rigid Polyurethane Foams and Wood, p. 506

Polyurethane, Toxicity on Mice
A Semi-Quantitative Method for Assessing Anatomic Damage Sustained by the Upper Respiratory Tract of the Laboratory Mouse, Mus Musculis, p. 472

Polyvinyl Chloride, Toxicity on Mice
A Semi-Quantitative Method for Assessing Anatomic Damage Sustained by the Upper Respiratory Tract of the Laboratory Mouse, Mus Musculis, p. 472

Pulmonary Function
Pulmonary Function and the Fire Fighters, p. 8

Pyrolysis Toxicity
A Method of Comparative Testing of Smoke Toxicity, p. 114

Reference Material, Polychloroprene Foam
Polychloroprene Flexible Foam as a Reference Material, p. 464

Reference Material, Wool
Standard Wool Fabric as a Reference Material, p. 454

Rotarod
The Performance of Rats on a Rotarod During Exposure to Combustion Products of Rigid Polyurethane Foams and Wood, p. 506

Screening Tests, Toxicity
Comparison of Results with the USF/NASA and FAA/CAMI Toxicity Screening Test Methods, p. 56

Studies with the USF/NASA Toxicity Screening Test Method: Exercise Wheels and Oxygen Replenishment, p. 200

Simulated Fire Atmosphere
Transport of Hydrogen Cyanide by Water Aerosol in a Simulated Fire Atmosphere, p. 231

Smoke Toxicity
A Method for Comparative Testing of Smoke Toxicity, p. 114

Specific Ion Electrod
Analytical Methods for Toxic Gases from Thermal Degradation of Polymers, p. 293

Spectrophotometry
Analytical Methods for Toxic Gases from Thermal Degradation of Polymers, p. 293

Sulfur Dioxide, Effect on Mice
Effect of Sulfur Dioxide on Swiss Albino Mice, p. 236

Television Cabinets, Smoke Toxicity
Smoke Toxicity of Fire-Retardant Television Cabinets, p. 435

Thermal Decomposition
Thermochemical Characterization of Polymers for Improved Fire Safety, p. 181

Toxic Gas Standard LC_{50}
A Review of Available LC_{50} Data, p. 415

Toxic Gases
Analytical Methods for Toxic Gases from Thermal Degradation of Polymers, p. 293

Analysis of Combustion Gases During Testing with the NBS Smoke Chamber, p. 360

Toxicity
New Japanese Standard Test for Combustion Gas Toxicity, p. 5

Relative Toxicity of Pyrolysis Products of Some Elastomers, p. 61

Significance of HCN Generation in Fire Gas Toxicity, p. 271

Analysis of Combustion Gases During Testing with the NBS Smoke Chamber, p. 360

Toxicity Factor
Significance of HCN Generation in Fire Gas Toxicity, p. 271

Toxicity of Gases, Effect of Heating Rate
Effect of Heating Rate on Toxicity of Pyrolysis Gases from Some Synthetic Polymers, p. 533

Toxicity Rankings, 15 Materials
Effect of Test Conditions on Relative Toxicity Rankings of Fifteen Materials, p. 487

Toxicity Screening
The Use of a Behavioral Response System in the USF/NASA Toxicity Screening Test Method, p. 283

Studies with the USF/NASA Toxicity Screening Test Method: Carbon Monoxide and Carbon Dioxide Concentrations, p. 376

Studies with the USF/NASA Toxicity Screening Test Method: Oxygen Concentrations with Various Test Conditions, p. 556

Toxicology
The Use of Mean Survival Time Analysis to Determine Comparative Toxicity of Fire Atmospheres, p. 87

Transport
Transport of Hydrogen Cyanide by Water Aerosol in a Simulated Fire Atmosphere, p. 231

Upholstery Fabrics, Pyrolysis Products
Relative Toxicity of Pyrolysis Products from Upholstery Fabrics: Effects of Fabric Variables and Test Conditions, p. 393

Urethane Foam, Pyrolysis
Relative Toxicity of Pyrolysis Products of Some Polyurethane and Polychloroprene Foams, p. 21

Urethane Foam, Toxicity
Toxicity Studies of a Polyurethane Rigid Foam, p. 79

Water Aerosol
Transport of Hydrogen Cyanide by Water Aerosol in a Simulated Fire Atmosphere, p. 231

Wood, Toxicity of Pyrolysis Products
Relative Toxicity of Pyrolysis Products of Some Wood Samples, p. 193

Wool Fabric, Reference Material
Standard Wool Fabric as a Reference Material, p. 454

INSTRUCTIONS FOR AUTHORS

Three copies of the manuscript (an original and two duplicate copies) should be submitted to Carlos J. Hilado, Editor-in-Chief, The Journal of Combustion Toxicology, 1457 Firebird Way, Sunnyvale, California 94087. The manuscript should be accompanied by an abstract of approximately 100 words and brief biographies of the authors.

The letter of transmittal should include the address and telephone number of the principal author, at which he can be contacted regarding any reviewer comments and suggestions for changes.

Manuscript page size of 8½ by 11 inches, and double-space typing using only one side of paper, are preferred but not mandatory. Each table must be typed on a separate sheet of paper, and numbered sequentially independent of figures. Graphs, diagrams, and sketches should be in black ink on paper suitable for tracing or reproduction. Photographs should be glossy prints of sufficient clarity and contrast for good halftone reproduction. Captions for all figures are not to be included as part of the drawings or photographs, but should be typed on a separate sheet of paper and keyed to the figures. Number all figures sequentially independent of tables.

Literature references should be identified in the text by numbers enclosed in brackets, and should be numbered consecutively, first name first, last name last.

The Journal offers considerable latitude with regard to length of manuscript. Published papers have ranged in length from 5 to 44 printed pages. Authors should be aware that lengthy papers may not be published as promptly as brief papers because of page limitations for each issue, and papers requiring more than 40 printed pages may have to be divided between two issues.

Authors will be given 3 copies of the issue in which their paper appears at no charge. Reprints may be ordered and payment of page charges is optional.

GENERAL

The Journal of Combustion Toxicology is not responsible for the views expressed by individual contributors in articles published in the Journal.

REPRINTS

Authors' institutions will be requested to pay an optional page charge of $50/page, which, if honored, entitles them to 100 free reprints without covers, or a credit toward a larger number. If page charges are not paid, reprints may be purchased separately at the price shown on the instruction sheet sent to each author along with the proofs of his article, before it is printed.

JOURNAL OF
COMBUSTION TOXICOLOGY